


# Monthly Environmental Monitoring Report

For the Month Ending 30 September 2024



| Name of Operation                       | Moolarben Coal Complex                               |
|---|--|
| Name of License Holder                  | Moolarben Coal Operations Pty Ltd                    |
|   | Moolarben Coal Mine                                  |
| Premises                                | 12 Ulan-Wollar Rd, Ulan NSW 2850                     |
| Environmental Protection Licence Number | 12932  |
| EPL Link                                | https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicenc |
|   | e.aspx?DOCID=270376&SYSUID=1&LICID=12932             |
| Reporting Period                        | 01 September 2024 to 30 September 2024               |
| Date last sampled data obtained         | 18 October 2024                                      |
| Publication Date                        | 30 October 2024                                      |
| Version                                 | 1  |
| Author                                  | M.Yeatman  |
| Approver                                | R.Shanks   |



#### **EPL 12932 MCO Environmental Monitoring Network**

## **Concentration Monitoring Summary**

### Air Quality Monitoring

| EPL | Location | Pollutant | Unit of | EPL Monitoring | No. of Samples                     | 12 Mo     | nth Rolling A | verage       | Annual              | Exceedance |
|-----|----------|-----------|---------|----------------|------------------------------------|-----------|---------------|--------------|---------------------|------------|
| ID  |          |           | Measure | Frequency      | collected and analysed<br>annually | Min Value | Mean<br>Value | Max<br>Value | concentration limit | (Yes/No)   |
| 16  | PM01     | PM10      | μg/m³   | Every 6 days   | 45                                 | 12.8      | 12.8          | 13.0         | 25                  | No         |
| N/A | PM02     | PM10      | μg/m³   | N/A            | 45                                 | 12.2      | 12.3          | 12.6         | 25                  | No         |
| 15  | TEOM 6   | PM10      | μg/m³   | Continuous     | 97.1%                              | 19.6      | 19.9          | 20.0         | N/A                 | N/A        |
| 17  | TEOM 1   | PM10      | μg/m³   | Continuous     | 98.9%                              | 16.8      | 17.0          | 17.2         | 25                  | No         |
| 27  | TEOM 7   | PM10      | μg/m³   | Continuous     | 94.7%                              | 9.7       | 10.0          | 10.1         | 25                  | No         |
| 27  | TEOM 7   | PM2.5     | μg/m³   | Continuous     | 94.7%                              | 4.1       | 4.2           | 4.3          | 8                   | No         |
| N/A | TEOM 4   | PM10      | μg/m³   | N/A            | 94.6%                              | 14.1      | 14.3          | 14.4         | 25                  | No         |

| EPL ID | Location | Pollutant | Unit of<br>Measure | EPL Monitoring<br>Frequency   | No. of Samples<br>collected and analysed | Min Value | Mean<br>Value | Max<br>Value | 24 hr concentration<br>limit | Exceedance<br>(Yes/No) |
|--------|----------|-----------|--------------------|-------------------------------|--|-----------|---------------|--------------|------------------------------|------------------------|
| 16     | PM01     | PM10      | μg/m³              | Every 6 days                  | 5  | 8.1       | 11.6          | 18.0         | 50                           | No                     |
| N/A    | PM02     | PM10      | µg/m³              | N/A                           | 5  | 7.8       | 13.5          | 16.5         | 50                           | No                     |
| 15     | TEOM 6   | PM10      | μg/m³              | Continuous<br>(24 Hr Average) | 100%                                     | 7.5       | 25.3          | 63.1         | N/A                          | N/A                    |
| 17     | TEOM 1   | PM10      | μg/m³              | Continuous<br>(24 Hr Average) | 100%                                     | 8.7       | 15.6          | 30.9         | 50                           | No                     |
| 27     | TEOM 7   | PM10      | μg/m³              | Continuous<br>(24 Hr Average) | 96.7%                                    | 0.9       | 7.8           | 16.4         | 50                           | No                     |
| 27     | TEOM 7   | PM2.5     | µg/m³              | Continuous<br>(24 Hr Average) | 96.7%                                    | 0.0       | 2.2           | 7.1          | 25                           | No                     |
| N/A    | TEOM 4   | PM10      | μg/m³              | N/A<br>(24 Hr Average)        | 100%                                     | 6.5       | 12.4          | 25.0         | 50                           | No                     |

## Surface Water Quality Monitoring

| EPL ID | Location | Pollutant              | Unit of | No. of Samples collected and | Date Sampled | Results |
|--------|----------|------------------------|---------|------------------------------|--------------|---------|
|        |          |                        | Measure | analysed                     |              |         |
|        |          | Conductivity           | μS/cm   | 1                            | 04/09/2024   | 640     |
| N/A    | SW01     | рН                     | рН      | 1                            | 04/09/2024   | 7.8     |
|        |          | Total Suspended Solids | mg/L    | 1                            | 04/09/2024   | <5      |
|        |          | Conductivity           | μS/cm   | 1                            | 04/09/2024   | 630     |
| N/A    | SW02     | рН                     | рН      | 1                            | 04/09/2024   | 8.0     |
|        |          | Total Suspended Solids | mg/L    | 1                            | 04/09/2024   | 13      |
|        |          | Conductivity           | μS/cm   | 0                            | 04/09/2024   | *       |
| N/A    | SW04     | рН                     | рН      | 0                            | 04/09/2024   | *       |
|        |          | Total Suspended Solids | mg/L    | 0                            | 04/09/2024   | *       |
|        |          | Conductivity           | μS/cm   | 1                            | 04/09/2024   | 985     |
| N/A    | SW05     | рН                     | рН      | 1                            | 04/09/2024   | 7.3     |
|        |          | Total Suspended Solids | mg/L    | 1                            | 04/09/2024   | 16      |
|        |          | Conductivity           | μS/cm   | 0                            | 04/09/2024   | *       |
| N/A    | SW07     | рН                     | рН      | 0                            | 04/09/2024   | *       |
|        |          | Total Suspended Solids | mg/L    | 0                            | 04/09/2024   | *       |
|        |          | Conductivity           | μS/cm   | 1                            | 04/09/2024   | 2490    |
| N/A    | SW08     | рН                     | pН      | 1                            | 04/09/2024   | 6.9     |
|        |          | Total Suspended Solids | mg/L    | 1                            | 04/09/2024   | <5      |
|        |          | Conductivity           | μS/cm   | 0                            | 04/09/2024   | *       |
| N/A    | SW09     | рН                     | pН      | 0                            | 04/09/2024   | *       |
|        |          | Total Suspended Solids | mg/L    | 0                            | 04/09/2024   | *       |
|        |          | Conductivity           | μS/cm   | 1                            | 04/09/2024   | 422     |
| N/A    | SW12     | рН                     | рН      | 1                            | 04/09/2024   | 7.4     |
|        |          | Total Suspended Solids | mg/L    | 1                            | 04/09/2024   | 14      |
|        |          | Conductivity           | μS/cm   | 0                            | 04/09/2024   | *       |
| N/A    | SW15     | рН                     | рН      | 0                            | 04/09/2024   | *       |
|        |          | Total Suspended Solids | mg/L    | 0                            | 04/09/2024   | *       |
|        | 1        | Conductivity           | μS/cm   | 0                            | 04/09/2024   | *       |
| N/A    | SW16     | рН                     | рН      | 0                            | 04/09/2024   | *       |
|        |          | Total Suspended Solids | mg/L    | 0                            | 04/09/2024   | *       |

MOOLARBEN COAL OPERATIONS PTY LTD | PART OF THE YANCOAL AUSTRALIA GROUP

#### **MONTHLY ENVIRONMENTAL MONITORING REPORT** For the Month Ending 30 September 2024

| EPL ID | Location | Pollutant              | Unit of<br>Measure | No. of Samples collected and<br>analysed | Date Sampled | Results |
|--------|----------|------------------------|--------------------|--|--------------|---------|
|        |          | Conductivity           | μS/cm              | 0  | 04/09/2024   | *       |
| N/A    | SW17     | рН                     | рН                 | 0  | 04/09/2024   | *       |
|        |          | Total Suspended Solids | mg/L               | 0  | 04/09/2024   | *       |
|        |          | Conductivity           | μS/cm              | 0  | 04/09/2024   | *       |
| N/A    | SW18     | рН                     | рН                 | 0  | 04/09/2024   | *       |
|        |          | Total Suspended Solids | mg/L               | 0  | 04/09/2024   | *       |
| N/A    | SW22     | Conductivity           | μS/cm              | 1  | 04/09/2024   | 637     |
|        |          | рН                     | рН                 | 1  | 04/09/2024   | 8.1     |
|        |          | Total Suspended Solids | mg/L               | 1  | 04/09/2024   | <5      |
| N/A    | SW23     | Conductivity           | μS/cm              | 0  | 04/09/2024   | *       |
|        |          | рН                     | рН                 | 0  | 04/09/2024   | *       |
|        |          | Total Suspended Solids | mg/L               | 0  | 04/09/2024   | *       |
| N/A    | SW24     | Conductivity           | μS/cm              | 0  | 04/09/2024   | *       |
|        |          | рН                     | рН                 | 0  | 04/09/2024   | *       |
|        |          | Total Suspended Solids | mg/L               | 0  | 04/09/2024   | *       |

\* No flow

## Blasting

|      |                  |                       | Unit of           |             | No. of Blasts during           |      | Results       |  |  | Exceedance |
|------|------------------|-----------------------|-------------------|-------------|--------------------------------|------|---------------|--|--|------------|
|      | Location         | Pollutant             | Pollutant Measure |             | Frequency the reporting period |      | Mean<br>Value | Max<br>Value                                     | Limits dBL                                       | (Yes/No)   |
| 49   | BM1 Ulan         | Blast<br>Overpressure | dBL               | Every Blast | 17                             | 81.8 | 97.1          | 107.0  | 115 (95% of Blasts)<br>120 (100% of Blasts)      | No         |
| 45   | School           | Ground Vibration      |                   | 17          | 0.03                           | 0.17 | 1.07          | 5mm/s (95% of Blasts)<br>10mm/s (100% of Blasts) | No   |            |
| N/A  | BM5 Ridge        | Blast<br>Overpressure | dBL               | Every Blast | 17                             | 89.3 | 98.5          | 108.8  | 115 (95% of Blasts)<br>120 (100% of Blasts)      | No         |
| N/A  | Rd               | Ground Vibration      | mm/s              | Every Blast | 17                             | 0.05 | 0.18          | 0.58   | 5mm/s (95% of Blasts)<br>10mm/s (100% of Blasts) | No         |
| N/A  | BM8<br>Moolarben | Blast<br>Overpressure | dBL               | Every Blast | 17                             | 92.9 | 100.1         | 109.3  | 115 (95% of Blasts)<br>120 (100% of Blasts)      | No         |
| IN/A | Rd               | Ground Vibration      | mm/s              | Every Blast | 17                             | 0.02 | 0.10          | 0.26   | 5mm/s (95% of Blasts)<br>10mm/s (100% of Blasts) | No         |

#### Noise

| EPL ID | Location                              | Site ID | Monitoring Type                     | Frequency | Measured<br>Level <sup>1,2,3</sup><br>LAeq dB<br>(15min) | Measured<br>Level <sup>1,2,3</sup><br>LA1,1dB<br>(1min) | Noise Criteria <sup>4</sup>   | Monitoring<br>Completed during<br>the period | Exceedance<br>(Yes/No) |
|--------|---------------------------------------|---------|-------------------------------------|-----------|--|---|---|--|------------------------|
| 44     | Ulan Public<br>School                 | NA1     | Compliance -<br>Attended            | Monthly   | IA   | IA  | Daytime (07:00 – 18:00)<br>LAeq, 15minute: 35 dB                          | Yes  | No                     |
| N/A    | Cope Road<br>(Receiver 258)           | NA11    | Management -<br>Attended            | Quarterly | -  | -   | -   | -  | -                      |
| N/A    | Lagoons Road                          | NA2     | Validation - Attended               | Annually  | -  | -   | -   | -  | -                      |
| 42     | Winchester<br>Crescent                | NA12    | Compliance/Validation<br>- Attended | Monthly   | IA   | IA  | Night time (22:00 – 07:00)<br>LAeq,15minute: 35 dB<br>LA1,1minute: 45 dB  | Yes  | No                     |
| N/A    | Upper Ridge<br>Road (Receiver<br>176) | NA3     | Validation - Attended               | Annually  | -  | -   | -   | -  | -                      |
| 41     | Lower Ridge<br>Road                   | NA6     | Compliance -Attended                | Monthly   | IA   | IA  | Night time (22:00 – 07:00)<br>LAeq,15minute: 37 dB<br>LA1, 1minute: 45 dB | Yes  | No                     |
| N/A    | Moolarben Road<br>(Receiver 28)       | NA10    | Validation - Attended               | Annually  | -  | -   | -   | -  | -                      |
| 46     | Goulburn River<br>National Park       | GRNP    | Compliance -Attended                | Annually  | -  | -   | All periods<br>LAeq, 15minute: 50 dB                                      | -  | -                      |
| 46     | Munghorn Gap<br>Nature Reserve        | MGNR    | Compliance -Attended                | Annually  | -  | -   | All periods<br>LAeq, 15minute: 50 dB                                      | -  | -                      |

1. NA indicates meteorological conditions during the measurement did not correspond with any modelled meteorological conditions and were not applicable for comparison.

2. IA is Inaudible. When site only noise is noted as IA, there was no noise from the source of interest audible at the monitoring location.

3. Site-only noise levels attributed to MCO, including modifying factors where applicable.

4. As detailed in the EPL, noise emission limits apply under all meteorological conditions except:

- Wind speeds greater than 3 m/s at 10 metres above ground level; or

- Stability class F temperature inversion conditions, and wind speeds greater than 2 m/s at 10 metres above ground level; or - Stability class G temperature inversions.

- Stability class G temperature inversions.

5. NA in last column means atmospheric conditions outside those specified in EPL, therefore criterion was not applicable.

### **Effluent Discharge Points**

| EPL ID | Pollutant              | Unit of Measure | No. of samples      | No. of Samples   | Date Sampled | Result |
|--------|------------------------|-----------------|---------------------|--|--------------|--------|
|        |                        |                 | required by Licence | collected and analysed   |              |        |
|        | BOD                    | mg/L            | Quarterly           |  | *            |        |
|        | Nitrogen (total)       | mg/L            | Quarterly           |  | *            |        |
| -      | Oil and Grease         | mg/L            | Quarterly           |  | *            |        |
| 5      | рН                     | рН              | Quarterly           |  | *            |        |
| 22     | Phosphorus (total)     | mg/L            | Quarterly           |  | *            |        |
|        | Total Suspended Solids | mg/L            | Quarterly           |  | *            |        |
|        | BOD                    | mg/L            | Quarterly           |  | *            |        |
|        | Nitrogen (total)       | mg/L            | Quarterly           |  | *            |        |
| 22     | Oil and Grease         | mg/L            | Quarterly           |  | *            |        |
|        | рН                     | рН              | Quarterly           |  | *            |        |
|        | Phosphorus (total)     | mg/L            | Quarterly           |  | *            |        |
|        | Total Suspended Solids | mg/L            | Quarterly           | arterly arterl | *            |        |
|        | BOD                    | mg/L            | Quarterly           |  | *            |        |
|        | Nitrogen (total)       | mg/L            | Quarterly           |  | *            |        |
| 22     | Oil and Grease         | mg/L            | Quarterly           |  | *            |        |
|        | рН                     | рН              | Quarterly           |  | *            |        |
|        | Phosphorus (total)     | mg/L            | Quarterly           |  | *            |        |
|        | Total Suspended Solids | mg/L            | Quarterly           |  | *            |        |
|        | BOD                    | mg/L            | Quarterly           |  | *            |        |
|        | Nitrogen (total)       | mg/L            | Quarterly           |  | *            |        |
| 40     | Oil and Grease         | mg/L            | Quarterly           |  | *            |        |
| 48     | рН                     | рН              | Quarterly           |  | *            |        |
|        | Phosphorus (total)     | mg/L            | Quarterly           |  | *            |        |
|        | Total Suspended Solids | mg/L            | Quarterly           |  | *            |        |

\* Not sampled in September, next sampled in November 2024

### **Discharge Points**

| EPL ID | Pollutant              | Unit of Measure    | No. of samples required by<br>Licence | No. of Samples<br>collected and<br>analysed | Min<br>Value | Mean<br>Value | Max<br>Value | 100%ile<br>concentration<br>limit | Exceedance<br>(Yes/No) |
|--------|------------------------|--------------------|---------------------------------------|---|--------------|---------------|--------------|-----------------------------------|------------------------|
|        | Conductivity           | μS/cm              | Continuous during discharge           | Continuous<br>during discharge              | 111          | 168           | 229          | 619                               | No                     |
|        | Oil and Grease         | mg/L               | Weekly during discharge               | 5   | <5           | <5            | <5           | 10                                | No                     |
| 1      | рН                     | рН                 | Continuous during discharge           | Continuous<br>during discharge              | 7.0          | 7.3           | 7.6          | 6.5-8.5                           | No                     |
| T      | Total Suspended Solids | mg/L               | Weekly during discharge               | 5   | <1           | <1            | <1           | 50                                | No                     |
|        | Turbidity              | NTU                | Continuous during discharge           | Continuous<br>during discharge              | 0.0          | 0.5           | 1.0          | 25                                | No                     |
|        | Discharge Volume       | Megalitres per day | Continuous during discharge           | Continuous<br>during discharge              | 2.7          | 7.4           | 9.6          | 20 <sup>1</sup>                   | No                     |
|        | Conductivity           | μS/cm              | Continuous during discharge           |   |              | 619           | NA           |                                   |                        |
|        | Oil and Grease         | mg/L               | Daily during discharge                |   |              | 10            | NA           |                                   |                        |
| 2      | рН                     | рН                 | Continuous during discharge           | No liconcod di                              | iccharges du | ring the pe   | riad         | 6.5-8.5                           | NA                     |
| 2      | Total Suspended Solids | mg/L               | Daily during discharge                | No licensed discharges during the period    |              |               |              | 50                                | NA                     |
|        | Turbidity              | NTU                | Continuous during discharge           |   |              | 25            | NA           |                                   |                        |
|        | Discharge Volume       | Megalitres per day | Continuous during discharge           |   |              |               |              | NA                                | NA                     |
| 24     | рН                     | рН                 | Daily during discharge                |   |              |               |              | 6.5-8.5                           | NA                     |
|        | Total Suspended Solids | mg/L               | Daily during discharge                | No licensed di                              | ischarges du | uring the pe  | riod         | 50                                | NA                     |
|        | Turbidity              | NTU                | Daily during discharge                |   |              |               |              | 25                                | NA                     |
| 26     | рН                     | рН                 | Daily during discharge                |   |              |               |              | 6.5-8.5                           | NA                     |
|        | Total Suspended Solids | mg/L               | Daily during discharge                | No licensed di                              | ischarges du | uring the pe  | riod         | 50                                | NA                     |
|        | Turbidity              | NTU                | Daily during discharge                |   |              |               |              | 25                                | NA                     |
| 28     | Conductivity           | μS/cm              | Continuous during discharge           |   |              |               |              | 619                               | NA                     |
|        | Oil and Grease         | mg/L               | Daily during discharge                |   |              |               |              | 10                                | NA                     |
|        | рН                     | рН                 | Continuous during discharge           | No licensed discharges during the period    |              | 6.5-8.5       | NA           |                                   |                        |
|        | Total Suspended Solids | mg/L               | Daily during discharge                |   |              |               |              | 50                                | NA                     |
|        | Turbidity              | NTU                | Continuous during discharge           | 1 F   |              |               | 25           | NA                                |                        |

#### **MONTHLY ENVIRONMENTAL MONITORING REPORT** For the Month Ending 30 September 2024

| EPL ID | Pollutant              | Unit of Measure                      | No. of samples required by<br>Licence | No. of Samples<br>collected and<br>analysed | Min<br>Value                             | Mean<br>Value | Max<br>Value | 100%ile<br>concentration<br>limit | Exceedance<br>(Yes/No) |
|--------|------------------------|--------------------------------------|---------------------------------------|---|--|---------------|--------------|-----------------------------------|------------------------|
|        | Discharge Volume       | Kilolitres per day                   | Continuous during discharge           |   |  |               |              | NA                                | NA                     |
| 29     | рН                     | рН                                   | Daily during discharge                |   |  |               |              | 6.5-8.5                           | NA                     |
|        | Total Suspended Solids | mg/L                                 | Daily during discharge                | No licensed d                               | ischarges du                             | riod          | 50           | NA                                |                        |
|        | Turbidity              | Turbidity NTU Daily during discharge |                                       |   |  |               |              | 25                                | NA                     |
| 31     | рН                     | рН                                   | Daily during discharge                |   |  |               | 6.5-8.5      | NA                                |                        |
|        | Total Suspended Solids | mg/L                                 | Daily during discharge                | No licensed d                               | No licensed discharges during the period |               | riod         | 50                                | NA                     |
|        | Turbidity              | NTU                                  | Daily during discharge                |   |  |               |              | 25                                | NA                     |
| 35     | рН                     | рН                                   | Daily during discharge                |   |  |               |              | 6.5-8.5                           | NA                     |
|        | Total Suspended Solids | mg/L                                 | Daily during discharge                | No licensed d                               | ischarges du                             | uring the pe  | riod         | 50                                | NA                     |
|        | Turbidity              | NTU                                  | Daily during discharge                |   |  |               |              | 25                                | NA                     |
| 51     | рН                     | рН                                   | Daily during discharge                |   |  |               |              | 6.5-8.5                           | NA                     |
|        | Total Suspended Solids | mg/L                                 | Daily during discharge                | No licensed discharges during the period    |  | riod          | 50           | NA                                |                        |
|        | Turbidity              | NTU                                  | Daily during discharge                |   |  |               | 25           | NA                                |                        |

1 Only applies when mining operations at the premises include that undertaken in the areas "UG4".